

Bearing No. index

| Bearing series (series name) | Description | Page |
|---------------------------------|---|-------------------------------------|
| 02400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227, B229, B231 |
| 02800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B229, B231, B233 |
| 03000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| 07000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225, B227 |
| 08000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B231 |
| 09000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| 11000R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B237 |
| 112 | Self-aligning ball bearing, extended inner ring type | A6, A55, A56, B125, B134 |
| 113 | Self-aligning ball bearing, extended inner ring type | A6, A55, A56, B125, B134 |
| 12 | Self-aligning ball bearing, open type | A6, A55, A56, B125, B126 |
| 12-K | Self-aligning ball bearing, open type, tapered bore | A6, A56, B125, B126 |
| 1200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227 |
| 12000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B239 |
| 12500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| 13 | Self-aligning ball bearing, open type | A6, A55, A56, B125, B126 |
| 13-K | Self-aligning ball bearing, open type, tapered bore | A6, A56, B125, B126 |
| 1300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| 13600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B235 |
| 13800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233, B235 |
| 14000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B229, B231 |
| 15000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227, B229, B231 |
| 15500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B229 |
| 160 | Single-row deep groove ball bearing, open type | A4, A55, B7, B8 |
| 16000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233, B235 |
| 1700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227 |
| 17000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227, B229 |
| 17500R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| 18000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B243 |
| 18500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B235, B237 |
| 18600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B239, B241 |
| 18700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B243 |
| 19000R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B235 |
| 1900R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227, B229 |
| 1WC | Miniature one-way clutch, with metal spring | B476, B478 |
| 20DC | Cylindrical roller bearing for railway rolling stock axle journal | C22, C25 |
| 21000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| 213 | Spherical roller bearing | A10, A55, A56, A59, B291, B294 |
| 22 | Self-aligning ball bearing, open type | A6, A55, A56, B125, B126 |
| 22-2RS | Self-aligning ball bearing, sealed type | A6, A56, B125, B132 |
| 22-K | Self-aligning ball bearing, open type, tapered bore | A6, A56, B125, B126 |
| 222 | Spherical roller bearing | A10, A55, A56, A59, B291, B294 |
| 223 | Spherical roller bearing | A10, A55, A56, A59, B291, B294 |
| 23 | Self-aligning ball bearing, open type | A6, A55, A56, B125, B126 |
| 23-2RS | Self-aligning ball bearing, sealed type | A6, A56, B125, B132 |
| 23-K | Self-aligning ball bearing, open type, tapered bore | A6, A56, B125, B126 |
| 230 | Spherical roller bearing | A10, A55, A56, A59, B291, B296 |

| Bearing series (series name) | Description | Page |
|---------------------------------|---|-------------------------------------|
| 230-K | Spherical roller bearing, tapered bore | A10, A55, A56, A59, B291, B296 |
| 231 | Spherical roller bearing | A10, A55, A56, A59, B291, B294 |
| 231-K | Spherical roller bearing, tapered bore | A10, A55, A56, A59, B291, B294 |
| 232 | Spherical roller bearing | A10, A55, A56, A59, B291, B296 |
| 232-K | Spherical roller bearing, tapered bore | A10, A55, A56, A59, B291, B296 |
| 23600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233 |
| 238 | Spherical roller bearing | A10, A55, A56, A59, B291, B314 |
| 238-K | Spherical roller bearing, tapered bore | A10, A55, A56, A59, B291, B314 |
| 239 | Spherical roller bearing | A10, A55, A56, A59, B291, B300 |
| 239-K | Spherical roller bearing, tapered bore | A10, A55, A56, A59, B291, B300 |
| 240 | Spherical roller bearing | A10, A55, A56, A59, B291, B298 |
| 240-K | Spherical roller bearing, tapered bore | A10, A55, A56, A59, B291, B298 |
| 241 | Spherical roller bearing | A10, A55, A56, A59, B291, B298 |
| 241-K | Spherical roller bearing, tapered bore | A10, A55, A56, A59, B291, B298 |
| 24700R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B237 |
| 2500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B231 |
| 25500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B235, B239, B241 |
| 25800R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233 |
| 2600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227, B229 |
| 26000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B229, B231 |
| 26800R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233, B239 |
| 2700R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233, B235 |
| 27600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B257, B259 |
| 27800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B235 |
| 28000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233, B235 |
| 28500R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B243, B245 |
| 28600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B243, B247 |
| 28900 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B249 |
| 2900 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B241 |
| 292 | Spherical thrust roller bearing | A11, A55, A56, A59, B355, B358 |
| 293 | Spherical thrust roller bearing | A11, A55, A56, A59, B355, B356 |
| 294 | Spherical thrust roller bearing | A11, A55, A56, A59, B355, B356 |
| 29500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B249 |
| 29600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B253, B255 |
| 2CR | Cylindrical roller bearing for railway rolling stock axle journal | C22, C25 |
| 2U | Cylindrical roller bearing for railway rolling stock axle journal | C22, C25 |
| 302 | Single-row tapered roller bearing, metric series | A9, A55, A56, B185, B194 |
| 303 | Single-row tapered roller bearing, metric series | A9, A55, A56, B185, B194 |
| 3100 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B229 |
| 313 | Single-row tapered roller bearing, metric series | A9, A55, A56, B185, B214 |
| 31500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233 |
| 32 | Double-row angular contact ball bearing (with filling slot) | A5, A55, A56, B55, B118 |
| 320 | Single-row tapered roller bearing, metric series | A9, A55, A56, B185, B194 |
| 322 | Single-row tapered roller bearing, metric series | A9, A55, A56, B185, B194 |
| 323 | Single-row tapered roller bearing, metric series | A9, A55, A56, B185, B194 |

Bearing No. index

| Bearing series (series name) | Description | Page |
|---------------------------------|--|---|
| 329 | Single-row tapered roller bearing, metric series | A9, A55, B185, B198 |
| 33 | Double-row angular contact ball bearing (with filling slot) | A5, A55, A56, B55, B118 |
| 330 | Single-row tapered roller bearing, metric series | A9, A55, A56, B185, B196 |
| 3300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B235 |
| 33000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B247, B251, B253 |
| 331 | Single-row tapered roller bearing, metric series | A9, A55, B185, B200 |
| 332 | Single-row tapered roller bearing, metric series | A9, A55, B185, B196 |
| 335 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233, B235, B237 |
| 33800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B239, B243, B245 |
| 3400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233, B235 |
| 34000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B253, B255, B257 |
| 3500R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233, B237, B239 |
| 355 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B237, B239, B241 |
| 365 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B237, B241, B243, B245 |
| 3700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B239, B243 |
| 37000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B263, B265 |
| 375 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B243 |
| 3800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233, B237 |
| 385 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B241, B243, B247 |
| 3900 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B247, B251 |
| 395 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B243, B249, B251 |
| 39500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B245, B247, B249, B251 |
| 41000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B229 |
| 415 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B235, B237 |
| 42 | Double-row deep groove ball bearing | A4, A55, A56, B5, B52 |
| 42600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B255, B257 |
| 43 | Double-row deep groove ball bearing | A4, A55, A56, B5, B52 |
| 4300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B235, B237 |
| 435 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233, B239 |
| 4500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B245 |
| 452 | Double-row tapered roller bearing (TDI type) | A9, A55, A56, B284 |
| 45200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B241, B243, B247 |
| 453 | Double-row tapered roller bearing (TDI type) | A9, A55, A56, B284 |
| 455 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B241, B245, B247 |
| 46000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B237, B239 |
| 462 | Double-row tapered roller bearing (TDO type) | A9, A55, A56, B268 |
| 46T | Double-row tapered roller bearing (TDO type) | A9, A55, A56, B268 |
| 47400R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B253 |
| 475 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B249, B253 |
| 47600R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B255, B257 |
| 47800R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B261 |
| 48100 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B263 |
| 48600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| 49000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B239 |
| 495 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B255, B257, B259 |

| Bearing series (series name) | Description | Page |
|---------------------------------|--|---|
| 49500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B239, B243 |
| 4UJ | Cylindrical roller bearing for railway rolling stock axle journal | C22, C25 |
| 511 | Single direction thrust ball bearing with flat back face | A11, A55, A56, A59, B337, B338 |
| 512 | Single direction thrust ball bearing with flat back face | A11, A55, A56, A59, B337, B338 |
| 513 | Single direction thrust ball bearing with flat back face | A11, A55, A56, A59, B337, B338 |
| 514 | Single direction thrust ball bearing with flat back face | A11, A55, A56, A59, B337, B338 |
| 52 | Double-row angular contact ball bearing | A5, A55, A56, B55, B118 |
| 52--2RS | Double-row angular contact ball bearing, contact sealed | A5, A56, B55, B118 |
| 52--ZZ | Double-row angular contact ball bearing, shielded | A5, A56, B55, B118 |
| 52000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B261, B263 |
| 522 | Double direction thrust ball bearing with flat back faces | A11, A55, A56, B337, B348 |
| 523 | Double direction thrust ball bearing with flat back faces | A11, A55, A56, B337, B348 |
| 524 | Double direction thrust ball bearing with flat back faces | A11, A55, A56, B337, B348 |
| 525 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B235, B237, B238, B241, B243 |
| 53 | Double-row angular contact ball bearing | A5, A55, A56, B55, B118 |
| 53--2RS | Double-row angular contact ball bearing, contact sealed | A5, A56, B55, B118 |
| 53--ZZ | Double-row angular contact ball bearing, shielded | A5, A56, B55, B118 |
| 532 | Single direction thrust ball bearing with spherical back face | A11, A55, A56, A59, B337, B338 |
| 532--U | Single direction thrust ball bearing with aligning seat race | A11, A55, A56, A59, B337, B338 |
| 533 | Single direction thrust ball bearing with spherical back face | A11, A55, A56, A59, B337, B338 |
| 533--U | Single direction thrust ball bearing with aligning seat race | A11, A55, A56, A59, B337, B338 |
| 534 | Single direction thrust ball bearing with spherical back face | A11, A55, A56, A59, B337, B338 |
| 534--U | Single direction thrust ball bearing with aligning seat race | A11, A55, A56, A59, B337, B338 |
| 535 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B237, B239, B245 |
| 542 | Double direction thrust ball bearing with spherical back faces | A11, A55, A56, B337, B348 |
| 542--U | Double direction thrust ball bearing with aligning seat races | A11, A55, A56, B337, B348 |
| 543 | Double direction thrust ball bearing with spherical back faces | A11, A55, A56, B337, B348 |
| 543--U | Double direction thrust ball bearing with aligning seat races | A11, A55, A56, B337, B348 |
| 544 | Double direction thrust ball bearing with spherical back faces | A11, A55, A56, B337, B348 |

Bearing No. index

| Bearing series (series name) | Description | Page |
|---------------------------------|---|---|
| 544-U | Double direction thrust ball bearing with aligning seat races | A11, A55, A56, B337, B348 |
| 5500R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B245, B247, B249, B251 |
| 555 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B245 |
| 56000R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B263 |
| 565 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B249, B251, B253, B256 |
| 5700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B255 |
| 575R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B253, B255, B257 |
| 59000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B243 |
| 595 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B259, B261 |
| 60 | Single-row deep groove ball bearing, open type, extra-small ball bearing, miniature ball bearing, open type | A4, A55, A56, B5, B7, B8, B40 |
| 60-2RD | Single-row deep groove ball bearing, extremely light contact sealed, extra-small ball bearing, miniature ball bearing, extremely light contact sealed | A4, A56, B5, B6, B20, B42 |
| 60-2RS | Single-row deep groove ball bearing, contact sealed, extra-small ball bearing, miniature ball bearing, contact sealed | A4, A56, B5, B6, B20, B42 |
| 60-2RU | Single-row deep groove ball bearing, non-contact sealed, extra-small ball bearing, miniature ball bearing, non-contact sealed | A4, A56, B5, B6, B20, B42 |
| 60-N | Single-row deep groove ball bearing, snap ring groove type | A4, A56, B5, B32 |
| 60-NR | Single-row deep groove ball bearing, snap ring groove type, locating snap ring type | A4, A56, B5, B32 |
| 60-ZZ | Single-row deep groove ball bearing, shielded, extra-small ball bearing, miniature ball bearing, shielded | A4, A56, B5, B6, B20, B42 |
| 615 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B239, B245, B247 |
| 62 | Single-row deep groove ball bearing, open type, extra-small ball bearing, miniature ball bearing, open type | A4, A48, A54, A55, A56, B7, B8, B40 |
| 62-2RD | Single-row deep groove ball bearing, extremely light contact sealed, extra-small ball bearing, miniature ball bearing, extremely light contact sealed | A4, A56, B5, B6, B20, B42 |
| 62-2RS | Single-row deep groove ball bearing, contact sealed, extra-small ball bearing, miniature ball bearing, contact sealed | A4, A56, B5, B6, B20, B40 |
| 62-2RU | Single-row deep groove ball bearing, non-contact sealed, extra-small ball bearing, miniature ball bearing, non-contact sealed | A4, A56, B5, B6, B20, B42 |
| 62-N | Single-row deep groove ball bearing, snap ring groove type | A4, A56, B5, B32 |
| 62-NR | Single-row deep groove ball bearing, snap ring groove type, locating snap ring type | A4, A56, B5, B32 |
| 62-ZZ | Single-row deep groove ball bearing, shielded, extra-small ball bearing, miniature ball bearing, shielded | A4, A56, B5, B6, B20, B40 |

| Bearing series (series name) | Description | Page |
|---------------------------------|---|---|
| 63 | Single-row deep groove ball bearing, open type, extra-small ball bearing, miniature ball bearing, open type | A4, A46, A49, A55, A56, B5, B7, B8, B40 |
| 63-2RD | Single-row deep groove ball bearing, extremely light contact sealed, extra-small ball bearing, miniature ball bearing, extremely light contact sealed | A4, A56, B4, B5, B6, B20 |
| 63-2RS | Single-row deep groove ball bearing, contact sealed, extra-small ball bearing, miniature ball bearing, contact sealed | A4, A56, B5, B6, B20, B42 |
| 63-2RU | Single-row deep groove ball bearing, non-contact sealed, extra-small ball bearing, miniature ball bearing, non-contact sealed | A4, A56, B5, B6, B20, B42 |
| 63-N | Single-row deep groove ball bearing, snap ring groove type | A4, A56, B5, B32 |
| 63-NR | Single-row deep groove ball bearing, snap ring groove type, locating snap ring type | A4, A56, B5, B32 |
| 63-ZZ | Single-row deep groove ball bearing, shielded, extra-small ball bearing, miniature ball bearing, shielded | A4, A56, B5, B6, B20, B40 |
| 6300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B245, B249, B251 |
| 635 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B251 |
| 64 | Single-row deep groove ball bearing, open type | A4, A55, B7, B8 |
| 6400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B255 |
| 64000R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B265 |
| 65000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B245, B247, B249 |
| 6500R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B259, B261 |
| 65300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B241 |
| 655 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B253, B255, B257, B259 |
| 66000R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B245 |
| 66500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B245, B247 |
| 67 | Single-row deep groove ball bearing, open type | A4, A55, B7, B8 |
| 67-2RS | Single-row deep groove ball bearing, contact sealed | A4, A56, B5, B6, B20 |
| 67-2RU | Single-row deep groove ball bearing, non-contact sealed | A4, A56, B5, B6, B20 |
| 67-ZZ | Single-row deep groove ball bearing, shielded | A4, A56, B5, B6, B20 |
| 675 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B259, B261, B263 |
| 68 | Single-row deep groove ball bearing, open type, extra-small ball bearing, miniature ball bearing, open type | A4, A55, A56, B5, B7, B8, B40 |
| 68-2RD | Single-row deep groove ball bearing, extremely light contact sealed | A4, A56, B5, B6, B20 |
| 68-2RS | Single-row deep groove ball bearing, contact sealed | A4, A56, B5, B6, B20 |
| 68-2RU | Single-row deep groove ball bearing, non-contact sealed | A4, A56, B5, B6, B20 |
| 68-N | Single-row deep groove ball bearing, snap ring groove type | A4, A56, B5, B32 |
| 68-NR | Single-row deep groove ball bearing, snap ring groove type, locating snap ring type | A4, A56, B5, B32 |
| 68-ZZ | Single-row deep groove ball bearing, shielded | A4, A56, B5, B6, B20 |
| 68000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B265 |

Bearing No. index

| Bearing series (series name) | Description | Page |
|---------------------------------|---|---|
| 69 | Single-row deep groove ball bearing, open type, extra-small ball bearing, miniature ball bearing, open type | A4, A55, A56, B5, B7, B8, B40 |
| 69-2RD | Single-row deep groove ball bearing, extremely light contact sealed, extra-small ball bearing, miniature ball bearing, extremely light contact sealed | A4, A56, B5, B6, B20, B42 |
| 69-2RS | Single-row deep groove ball bearing, contact sealed, extra-small ball bearing, miniature ball bearing, contact sealed | A4, A56, B5, B6, B20, B42 |
| 69-2RU | Single-row deep groove ball bearing, non-contact sealed, extra-small ball bearing, miniature ball bearing, non-contact sealed | A4, A56, B5, B6, B20, B42 |
| 69-N | Single-row deep groove ball bearing, snap ring groove type | A4, A56, B5, B32 |
| 69-NR | Single-row deep groove ball bearing, snap ring groove type, locating snap ring type | A4, A56, B5, B32 |
| 69-ZZ | Single-row deep groove ball bearing, shielded, extra-small ball bearing, miniature ball bearing, shielded | A4, A56, B5, B6, B20, B42 |
| 70 | Single-row angular contact ball bearing | A5, A55, A56, B55, B62 |
| 70-DB | Matched pair angular contact ball bearing, back-to-back arrangement | A5, A56, B55, B90 |
| 70-DF | Matched pair angular contact ball bearing, face-to-face arrangement | A5, A56, B55, B90 |
| 70-DT | Matched pair angular contact ball bearing, tandem arrangement | A5, A56, B55, B90 |
| 71000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B263, B265 |
| 72 | Single-row angular contact ball bearing | A5, A55, A56, B55, B62 |
| 72-DB | Matched pair angular contact ball bearing, back-to-back arrangement | A5, A56, B55, B90 |
| 72-DF | Matched pair angular contact ball bearing, face-to-face arrangement | A5, A56, B55, B90 |
| 72-DT | Matched pair angular contact ball bearing, tandem arrangement | A5, A56, B55, B90 |
| 73 | Single-row angular contact ball bearing | A5, A55, A56, B55, B62 |
| 73-DB | Matched pair angular contact ball bearing, back-to-back arrangement | A5, A56, B55, B90 |
| 73-DF | Matched pair angular contact ball bearing, face-to-face arrangement | A5, A56, B55, B90 |
| 73-DT | Matched pair angular contact ball bearing, tandem arrangement | A5, A56, B55, B90 |
| 74 | Single-row angular contact ball bearing | A5, A55, A56, B55, B64 |
| 74-DB | Matched pair angular contact ball bearing, back-to-back arrangement | A5, A56, B55, B92 |
| 74-DF | Matched pair angular contact ball bearing, face-to-face arrangement | A5, A56, B55, B92 |
| 74-DT | Matched pair angular contact ball bearing, tandem arrangement | A5, A56, B55, B92 |
| 745R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B253, B255, B257, B259 |
| 755 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B255, B257, B259, B261 |
| 775 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B261, B263 |

| Bearing series (series name) | Description | Page |
|---------------------------------|--|---|
| 79 | Single-row angular contact ball bearing | A5, A55, A56, B55, B62 |
| 79-DB | Matched pair angular contact ball bearing, back-to-back arrangement | A5, A56, B55, B90 |
| 79-DF | Matched pair angular contact ball bearing, face-to-face arrangement | A5, A56, B55, B90 |
| 79-DT | Matched pair angular contact ball bearing, tandem arrangement | A5, A56, B55, B90 |
| 835R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B253, B259 |
| 855R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B259, B261, B263 |
| 9100 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B251 |
| 935 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B263, B265 |
| 98000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B257, B259, B261, B263 |
| A2000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| A4000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| AH22 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B329 |
| AH23 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B326 |
| AH240 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B328 |
| AH241 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B327 |
| AH3 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B326 |
| AH30 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B328 |
| AH31 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B328 |
| AH32 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B329 |
| AHX23 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B326 |
| AHX3 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B326 |
| AHX30 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B327 |
| AHX31 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B327 |
| AHX32 | Withdrawal sleeve for spherical roller bearing | A10, A55, A56, B327 |
| AL | Lock plate | C46, C55 |
| ALL | Lock plate | C46, C55 |
| AN | Locknut for adapter sleeve and shaft | C46, C47 |
| ANL | Locknut for adapter sleeve and shaft | C46, C48 |
| AS | Race, thrust needle roller and cage assembly, stamped, metric series | A12, B363, B444 |
| AW | Lockwasher | C46, C53 |
| AW-X | Lockwasher | C46, C53 |
| AXK | Thrust needle roller and cage assemblies, without races, one-piece cage, metric series | A12, B363, B444 |
| BK | Drawn cup needle roller bearing, caged, closed one end, metric series | A8, B363, B414 |
| EWC | Miniature one-way clutch, with synthetic resin spring | B476, B478 |
| F60 | Extra-small ball bearing, miniature ball bearing, flanged type, open type | A4, A56, B5, B46 |
| F60-ZZ | Extra-small ball bearing, miniature ball bearing, flanged type, shielded | A4, A56, B5, B46 |
| F62 | Extra-small ball bearing, miniature ball bearing, flanged type, open type | A4, A56, B5, B46 |
| F62-ZZ | Extra-small ball bearing, miniature ball bearing, flanged type, shielded | A4, A56, B5, B46 |

Bearing No. index

| Bearing series (series name) | Description | Page |
|---------------------------------|---|---|
| F63 | Extra-small ball bearing, miniature ball bearing, flanged type, open type | A4, A56, B5, B48 |
| F63-ZZ | Extra-small ball bearing, miniature ball bearing, flanged type, shielded | A4, A56, B5, B48 |
| F68 | Extra-small ball bearing, miniature ball bearing, flanged type, open type | A4, A56, B5, B46 |
| F69 | Extra-small ball bearing, miniature ball bearing, flanged type, open type | A4, A56, B5, B46 |
| F69-ZZ | Extra-small ball bearing, miniature ball bearing, flanged type, shielded | A4, A56, B5, B46 |
| FNT | Thrust needle roller and cage assemblies, without races, two-piece cage, metric series | A12, B363, B444 |
| GS.811 | Race, thrust needle roller and cylindrical roller, housing piloted, metric series | A12, B363, B444 |
| GS.812 | Race for thrust cylindrical roller and cage assembly, housing piloted, metric series | A12, B363, B448 |
| H2-X | Adapter assembly for self-aligning ball bearing | A6, B125, B136 |
| H23 | Adapter assembly for spherical roller bearing | A10, A55, A56, B320 |
| H23-X | Adapter assembly for self-aligning ball bearing, adapter assembly for spherical roller bearing | A6, A10, A55, A56, B125, B136, B318 |
| H3-X | Adapter assembly for self-aligning ball bearing, adapter assembly for spherical roller bearing | A6, A10, A55, A56, B125, B136, B318 |
| H30 | Adapter assembly for spherical roller bearing | A10, A55, A56, B320 |
| H30-X | Adapter assembly for spherical roller bearing | A10, A55, A56, B318 |
| H31 | Adapter assembly for spherical roller bearing | A10, A55, A56, B320 |
| H31-X | Adapter assembly for spherical roller bearing | A10, A55, A56, B318 |
| H32 | Adapter assembly for spherical roller bearing | A10, A55, A56, B323 |
| H414200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B249, B251, B253 |
| H715300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B249, B251, B253 |
| HH221400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B255, B257, B261, B263 |
| HH224300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B261, B263, B265 |
| HH228300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B265 |
| HH506300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B241 |
| HH926700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B265 |
| HJ | Heavy-duty needle roller bearing, caged, with ribs (integral), without inner ring, lubricating hole and lubricating groove in the outer ring, inch series | A8, A55, A56, A59, B363, B440 |
| HJ2 | Thrust collar for cylindrical roller bearing | A7, B139, B168 |
| HJ22 | Thrust collar for cylindrical roller bearing | A7, B139, B168 |
| HJ23 | Thrust collar for cylindrical roller bearing | A7, B139, B168 |
| HJ3 | Thrust collar for cylindrical roller bearing | A7, B139, B168 |
| HJ4 | Thrust collar for cylindrical roller bearing | A7, B139, B168 |
| HK | Drawn cup needle roller bearing, caged, open ends, metric series | A8, B363, B414 |
| HM212000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B249, B251 |
| HM218200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B261 |
| HM516400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B257 |
| HM518400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B259 |
| HM617000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B259 |

| Bearing series (series name) | Description | Page |
|---------------------------------|---|---|
| HM624700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B265 |
| HM801300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B235, B237 |
| HM803100 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B237, B239 |
| HM804800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B237, B239, B241 |
| HM807000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B237, B239, B241, B245 |
| HM813800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B247, B249, B251, B253 |
| HM81600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| HM88500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B231 |
| HM88600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227, B231, B233 |
| HM89400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B231, B233 |
| HN | Locknut for withdrawal sleeve | C46, C51 |
| HNL | Locknut for withdrawal sleeve | C46, C51 |
| IR | Inner ring for heavy-duty needle roller bearing, inch series | B363, B440, B472 |
| IR- | Inner ring for heavy-duty needle roller bearing, inch series | A8, A55, A56, A59, B363, B440, B472 |
| J | Drawn cup needle roller bearing, caged, open ends, inch series | A8, B363, B424 |
| JB | Sealed type tapered roller bearing for railway rolling stock axle journal, sealed type cylindrical roller bearing | C22, C27, C29 |
| JC | Cylindrical roller bearing for railway rolling stock axle journal | C22, C25 |
| JH | Drawn cup needle roller bearing, caged, open ends, inch series, high load capacity | A8, B363, B424 |
| JH211700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B251 |
| JH217200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B259 |
| JH307700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B247 |
| JH415600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B255 |
| JHM318400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B261 |
| JHM516800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B259 |
| JHM522600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B265 |
| JHM534100 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| JHM720200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B263 |
| JHM807000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B243 |
| JHM840400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| JL69300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233 |
| JLM104900 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B243 |
| JLM506800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B245 |
| JLM508700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B247 |
| JLM710900 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B249 |
| JLM714100 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B255 |
| JLM813000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B253 |
| JM205100 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B243 |
| JM207000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B247 |
| JM511900 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B249 |
| JM515600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B257 |

Bearing No. index

| Bearing series (series name) | Description | Page |
|---------------------------------|---|-------------------------|
| JM612900 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B253 |
| JM714200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B255 |
| JM716600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B259 |
| JM718100 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B261 |
| JM719100 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B261 |
| JM720200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B263 |
| JM734400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| JM736100 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| JM738200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| JM822000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B265 |
| JR | Inner ring for needle roller bearing, without lubrication hole, metric series | B363, B415, B461, B464 |
| JR-·JS1 | Inner ring for needle roller bearing, with lubrication hole, metric series | B363, B464 |
| JRZ-·JS1 | Inner ring for needle roller bearing, with lubrication hole, without raceway chamfer, metric series | B363, B464 |
| K | Radial needle roller and cage assembly, single-row, metric series | A8, B363, B380 |
| K.811 | Thrust cylindrical roller and cage assemblies, without races, metric series | A12, B363, B448 |
| K.812 | Thrust cylindrical roller and cage assemblies, without races, metric series | A12, B363, B448 |
| K-·ZW | Radial needle roller and cage assembly, double-row, metric series | A8, B363, B382 |
| K-A | K-series super thin section ball bearing, angular contact type, the T, A, B, and C between K and A indicate the cross-section dimensions | C2, C9 |
| K-C | K-series super thin section ball bearing, deep groove type, the T, A, B, and C between K and C indicate the cross-section dimensions | C2, C9 |
| K-X | K-series super thin section ball bearing, four-point contact type, the T, A, B, and C between K and X indicate the cross-section dimensions | C2, C9 |
| KJA-·RD | K-series super thin section ball bearing, angular contact type, with seal | C2, C19 |
| KUC-·2RD | K-series super thin section ball bearing, deep groove type, with seals | C2, C19 |
| KUX-·2RD | K-series super thin section ball bearing, four-point contact type, with seals | C2, C19 |
| L | | |
| L102800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B239 |
| L21500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| L217800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B259 |
| L305600R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B243 |
| L319200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B261 |
| L327200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| L435000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| L44600R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227 |
| L45400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B229 |
| L521900R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B263 |
| L540000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| L555200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |

| Bearing series (series name) | Description | Page |
|---------------------------------|--|-------------------------------|
| L68100 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B233 |
| LL319300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B261 |
| LL713000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B253 |
| LM102900 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B241 |
| LM11700R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| LM11900 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| LM12700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| LM245800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| LM29700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B235 |
| LM48500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B231 |
| LM501300 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B237 |
| LM503300R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B241 |
| LM522500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B263, B265 |
| LM603000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B241 |
| LM613400 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B253 |
| LM67000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B231 |
| LM72800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227 |
| LM806600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B245 |
| LM814800 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B257 |
| LS | Needle roller thrust bearing, assemblies, washers, thrust needle roller and cage assemblies, thrust washers, metric series | A12, B363, B444 |
| M | | |
| M12600 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B225 |
| M246900 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| M249700 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| M349500 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B267 |
| M802000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B237 |
| M804000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B241 |
| M84200 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227 |
| M86600R | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B227, B229 |
| M88000 | Single-row tapered roller bearing, inch series | A9, A55, A56, A59, B231 |
| MJ-·1 | Drawn cup needle roller bearing, caged, closed one end, inch series | A8, B363, B424 |
| MJH-·1 | Drawn cup needle roller bearing, caged, closed one end, inch series, high load capacity | A8, B363, B424 |
| ML | Extra-small ball bearing, miniature ball bearing, open type | A4, A56, B5, B40 |
| ML-·ZZ | Extra-small ball bearing, miniature ball bearing, shielded | A4, A56, B5, B42 |
| MLF | Extra-small ball bearing, miniature ball bearing, flanged type, open type | A4, A56, B5, B46 |
| N | | |
| N2 | Single-row cylindrical roller bearing, outer ring without ribs, inner ring with ribs | A7, A56, B139, B142 |
| N3 | Single-row cylindrical roller bearing, outer ring without ribs, inner ring with ribs | A7, A56, B139, B142 |
| N4 | Single-row cylindrical roller bearing, outer ring without ribs, inner ring with ribs | A7, A56, B139, B144 |
| NAXK | Combined needle roller bearing, combination heavy-duty needle roller and thrust ball bearing, caged, without inner ring, metric series | B363, B460 |

Bearing No. index

| Bearing series (series name) | Description | Page |
|---------------------------------|---|-------------------------------|
| NAXK--Z | Combined needle roller bearing, combination heavy-duty needle roller and thrust ball bearing, caged, without inner ring, with dust cap, metric series | B363, B460 |
| NAXR | Combined needle roller bearing, combination heavy-duty needle roller and thrust cylindrical roller bearing, caged, without inner ring, metric series | B363, B462 |
| NAXR--Z | Combined needle roller bearing, combination heavy-duty needle roller and thrust cylindrical roller bearing, caged, without inner ring, with dust cap, metric series | B363, B462 |
| NF2 | Single-row cylindrical roller bearing, outer ring without rib on single side, inner ring with ribs | A7, A56, B139, B142 |
| NF3 | Single-row cylindrical roller bearing, outer ring without rib on single side, inner ring with ribs | A7, A56, B139, B142 |
| NF4 | Single-row cylindrical roller bearing, outer ring without rib on single side, inner ring with ribs | A7, A56, B139, B144 |
| NJ2 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side | A7, A56, B139, B142 |
| NJ22 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side | A7, A56, B139, B142 |
| NJ23 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side | A7, A56, B139, B142 |
| NJ3 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side | A7, A56, B139, B142 |
| NJ4 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side | A7, A56, B139, B144 |
| NK | Heavy-duty needle roller bearing, caged, with ribs (inserted or integral), without inner ring, metric series | A8, A55, A56, A59, B363, B432 |
| NKS | Heavy-duty needle roller bearing, caged, with ribs (inserted or integral), without inner ring, one lubrication hole and lubrication groove in the outer ring, metric series | A8, A55, A56, A59, B363, B433 |
| NN30 | Double-row cylindrical roller bearing, outer ring without ribs, inner ring with ribs | A7, A55, A56, B139, B178 |
| NN30--K | Double-row cylindrical roller bearing, outer ring without ribs, inner ring with ribs, tapered bore | A7, A56, B139, B178 |
| NNU49 | Double-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs | A7, A55, A56, B139, B178 |
| NNU49--K | Double-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs, tapered bore | A7, A56, B139, B178 |
| NTA | Thrust needle roller and cage assemblies, without races, two-piece cage, inch series | A12, B363, B452 |
| NU10 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs | A7, A55, A56, B139, B142 |
| NU2 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs | A7, A55, A56, B139, B142 |
| NU22 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs | A7, A55, A56, B139, B142 |
| NU23 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs | A7, A55, A56, B139, B142 |
| NU3 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs | A7, A55, A56, B139, B142 |

| Bearing series (series name) | Description | Page |
|---------------------------------|---|-------------------------------|
| NU32 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs | A7, A55, A56, B139, B142 |
| NU33 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs | A7, A55, A56, B139, B144 |
| NU4 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without ribs | A7, A55, A56, B139, B144 |
| NUP10 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib | A7, A56, B139, B142 |
| NUP2 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib | A7, A56, B139, B142 |
| NUP22 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib | A7, A56, B139, B142 |
| NUP23 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib | A7, A56, B139, B142 |
| NUP3 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib | A7, A56, B139, B142 |
| NUP4 | Single-row cylindrical roller bearing, outer ring with ribs, inner ring without rib on single side, with loose rib | A7, A56, B139, B144 |
| RNA48 | Heavy-duty needle roller bearing, caged, with ribs (integral), without inner ring, one lubrication hole and lubrication groove in the outer ring, metric series | A8, A55, A56, A59, B363, B438 |
| RNA49 | Heavy-duty needle roller bearing, caged, with ribs (integral), without inner ring, one lubrication hole and lubrication groove in the outer ring, metric series | A8, A55, A56, A59, B363, B432 |
| RNA69 | Heavy-duty needle roller bearing, caged, with ribs (inserted or integral), without inner ring, one lubrication hole and lubrication groove in the outer ring, metric series | A8, A55, A56, A59, B363, B432 |
| SDE | Linear ball bearing, metric series | C32, C35 |
| SDM | Linear ball bearing, metric series | C32, C35 |
| SDMF | Linear ball bearing, round-flanged type, metric series | C32, C41 |
| SDMK | Linear ball bearing, square-flanged type, metric series | C32, C41 |
| TR | Race A, B, C, etc. indicates race thickness | A12, B363, B452 |
| W60--ZZX | Extra-small ball bearing, miniature ball bearing, shielded | A4, A56, B5, B40 |
| W68--2RD | Extra-small ball bearing, miniature ball bearing, extremely light contact sealed | A4, A56, B5, B44 |
| W68--2RS | Extra-small ball bearing, miniature ball bearing, contact sealed | A4, A56, B5, B44 |
| W68--2RU | Extra-small ball bearing, miniature ball bearing, non-contact sealed | A4, A56, B5, B44 |
| W68--ZZ | Extra-small ball bearing, miniature ball bearing, shielded | A4, A56, B5, B40 |

Bearing No. index

| Bearing series (series name) | Description | Page |
|---------------------------------|---|------------------|
| W69..ZZ | Extra-small ball bearing, miniature ball bearing, shielded | A4, A56, B5, B40 |
| WF60..ZZ | Extra-small ball bearing, miniature ball bearing, flanged type, shielded | A4, A56, B5, B46 |
| WF68..ZZ | Extra-small ball bearing, miniature ball bearing, flanged type, shielded | A4, A56, B5, B46 |
| WF69..ZZ | Extra-small ball bearing, miniature ball bearing, flanged type, shielded | A4, A56, B5, B46 |
| WJ | Radial needle roller and cage assembly, single-row, inch series, high load capacity | A8, B363, B408 |
| WJC | Radial needle roller and cage assembly, single-row, inch series | A8, B363, B408 |
| WML..2RS | Extra-small ball bearing, miniature ball bearing, contact sealed | A4, A56, B5, B42 |
| WML..ZZ | Extra-small ball bearing, miniature ball bearing, shielded | A4, A56, B5, B40 |
| WMLF..ZZ | Extra-small ball bearing, miniature ball bearing, flanged type, shielded | A4, A56, B5, B46 |
| WS.811 | Race, thrust needle roller and cylindrical roller, shaft piloted, metric series | A12, B363, B444 |
| WS.812 | Race for thrust cylindrical roller and cage assembly, shaft piloted, metric series | A12, B363, B448 |

Term index Page numbers in bold indicate detailed pages.

| Term | Page | Term | Page |
|----------------------------|---|------------------------------|---|
| A adapter | A6, A10, A91, A136 , A145 | constant pressure preloading | A112 , A113 |
| additives | A124, A125 , A128, A154 | contact angle | A1 , A5, A6, A9, A39, A54, A56, A103, A116 |
| allowable aligning angle | B125 , B293 , B355 | contact angle code | A54 , A56, A57 |
| allowable axial load | A14, A44 , A49, B141 | contamination factor | A27, A29 |
| allowable misalignment | B7 , B58 , B141 , B187 , B337 | corrosion | A154 , A155 |
| amount of grease | A117 | crack | A141, A150, A152 , A153 , A156, A157 |
| amount of mist | A121, A123 | cracking | A150, A152 , A153 , A156, A157 |
| amount of preload | A15, A112 , A113 , A114 , A116, A147 | creeping | A24, A86, A156 |
| axial internal clearance | A99 , A103, A104, A111 | cup grease | A124 , A137 |
| B base oil | A124 , A126 | D damage to cage | A156 |
| basic number | A54 , A56 | diameter series | A17, A44, A49, A52 , A53, A55 |
| basic rating life | A24 , A25, A26, A27 | dimension series | A9, A16, A17, A52 , A53, A54, A55 |
| bearing arrangement | A14, A20 , A21, A22, A23 | discoloration | A154 , A155 |
| bearing ring | A1 , A5, A6, A54, A56, A130 | dismounting | A15, A17, A148 , A149 |
| bearing series | A54 , A55, A56, A57 | distribution load | A43 |
| bearing steel | A57, A88, A101, A130 , A131 | dynamic equivalent load | A14, A24, A25, A38 , A40, A49, A84 |
| bentone | A124 , A125 | dynamic load rating | A14, A24 , A25, A26, A38 , A46, A48, A49, A51, A84, A130 |
| bore diameter number | A52 , A54, A56, A114 | E effective clearance | A99 , A100 |
| brinelling | A141, A147, A152 , A153 , A154, A155, A156, A157 | effective interference | A88 , A89 , A101, A143 |
| C cage | A1 , A4, A5, A6, A7, A8, A9, A10, A11, A12, A13, A14, A54, A56, A57, A85, A130, A132, A156 | electric pitting | A154 |
| cage material / shape code | A57 | end plate | A136 |
| calcium complex soap | A125 | equivalent axial load | B141 , B337 , B355 |
| calcium grease | A124 , A137 | equivalent radial load | B7 , B58 , B59, B125 , B141 , B187 , B293 |
| calcium soap | A124 | extreme pressure agent | A29, A125 |
| calculated interference | A88 | F failure | A24 , A152, A153, A154, A155, A156, A157 |
| case hardened steel | A130 | fatigue load limit | A26, A27, A29 |
| chamfer | A4, A11 | feeding interval | A118 |
| chamfer dimension | A52 , A58, A78, A133, A134 | fiber grease | A124 |
| clearance fit | A86 , A87 , A90, A111, A142, A153 | fillet | A133 , A134 , A141, A153 |
| comparison of performance | A14, A16, A18 | filling slot | A4 , A5, A18, A55, B57 |
| complex base grease | A125 | fit | A15, A86 , A87, A88, A89, A100, A101, A133, A134, A142, B7 , B57 , B125 , B140 , B186 , B293 , B337 , B355 , B376 |
| consistency | A125 , A126, A127, A137 | | |

Term index Page numbers in bold indicate detailed pages.

| Term | Page |
|--|---|
| flaking | A24, A147, A150, A152, A153 |
| flinger | A137, A138 |
| fluorine compounds | A124 , A125 |
| forced oil circulation | A85, A122 |
| fretting | A24, A156, A157 |
| frictional coefficient | A85 , A122 |
| gear coefficient | A34 , A50 |
| grease | A57, A117 , A118, A124, A125 , A126, A140 |
| grease code | A57 |
| grease lubrication | A29, A44, A84, A117 , A137, A140 |
| grease service life | A15, A118, A119 |
| heavy preload | A57, A114 , A115 |
| height series | A52, A53 |
| HM | A139 |
| HMA | A139 |
| HMS | A139 |
| HMSA | A139 |
| HMSAH | A139 |
| HMSH | A139 |
| inner case | A139 |
| inner ring back face rib | A9 |
| inner ring front face rib | A9, A10 |
| inspection | A150 |
| inspection of shaft and housing | A141 |
| interference | A21, A23, A86, A88, A89 , A93, A96, A111, A115, A142, A143, A144, A148, A153, A157 |
| interference fit | A86, A87 , A90, A111, A142, A148 |
| internal clearance | A15, A54, A57, A99, B57, B186, B376 |
| internal design code | A54 , A56 |
| J series | A94, A59 , A72 |
| kinematic viscosity | A29, A30, A128 , A129 |
| labyrinth | A137, A138 |
| life | A14, A24 , A40, A46, A48, A50, A114, A117, A130, A152 |
| life modification factor | A26, A27 , A28 |
| life modification factor for reliability | A27 |
| light preload | A57, A114 , A115 |

| Term | Page |
|------------------------|---|
| limiting speed | A15, A16, A84 , A85 |
| lithium complex soap | A125 |
| lithium grease | A124 |
| lithium soap | A124 |
| load center | A5, A6, A9, A39, A113 |
| load coefficient | A32 , A34, A38, A42, A50 |
| locating snap ring | A4, A53 , A56 |
| lubricant | A14, A15, A29, A117, A124 , A140, A141, A147, A151, A155, A157 |
| lubricating oil | A121, A122, A124, A128 , A129 |
| lubrication | A117 |
| lubrication conditions | A14, A29 |
| lubrication groove | A7, A8, A9, A10, A56 , A123, A137, B292 |
| lubrication hole | A7, A8, A9, A10, A56, A123, B292 |
| lubrication method | A15, A85, A117 , A153, A155, A157 |
| maintenance | A150 |
| material | A14, A130, A132 , A140 |
| material code | A57 |
| measured clearance | A99 , A102, A103 |
| measuring method | A80 |
| medium preload | A57, A114 , A115 |
| MH | A139 |
| MHA | A139 |
| MHS | A139 |
| MHSA | A139 |
| mineral oil | A124 , A125, A126, A128 |
| minor lip | A139 |
| modified rating life | A26 , A27 |
| mounting | A15, A17, A141 , A142, A143, A144, A145, A146 |
| mounting design | A136 |
| mounting dimensions | A15, A134 |
| MS | A139 |
| nicks | A152, A153 |
| NLGI | A125 , A127 |
| noise | A147 |
| non-soap base grease | A124 , A125 |
| NR | A4, A56 |
| oil / air lubrication | A85, A122 |
| oil bath | A120 |

| Term | Page |
|---------------------------|---|
| oil drip | A120 |
| oil jet lubrication | A85, A121, A122 |
| oil lubrication | A13, A44, A47, A49, A84, A117, A120 |
| oil mist lubrication | A123 |
| oil seal | A139 , A140 |
| oil splash | A120 |
| operating clearance | A99, A100 , A101 |
| original clearance | A99 , A100 |
| oxidation inhibitor | A125 , A128 |
| pear skin | A154, A155 |
| position preloading | A112 , A113 |
| preload | A16, A57, A112, A113 , A155, A157 |
| preload code | A57 |
| press fit | A142 , A143 |
| radial internal clearance | A57, A99 , A102, A104, A105, A106, A108, A110, A111, A145, A146, B7, B125, B140, B293 |
| RD | A4, A56 |
| recommended fits | A90 , A91, A92, A93, A94, A95, A96, A97, A98, A114, A115 |
| required service life | A14, A25, A31 , A48, A49 |
| residual clearance | A99 , A100, A146 |
| rib | A7, A8, A44 |
| rolling element | A1 , A6, A16, A24, A29, A42, A101, A130, A147, A156 |
| rotating inner ring load | A87 , A90, A94, A95, A96, A97, A98 |
| rotating outer ring load | A87 , A90, A94, A95, A96, A97, A98 |
| RS | A4, A5, A6, A8, A56, A85 |
| RU | A4, A56 |
| rubbing speed | A85, A140 |
| rust | A154, A155 |
| safety coefficient | A14, A43 |
| scratch | A154, A155 |
| scuffing | A154, A155 |
| seal code | A56 |
| sealing device | A15, A137 , A138, A139, A140 |
| sealing edge | A139 |
| sealing lip | A139 |
| seizure | A24, A153, A154, A156 |

| Term | Page |
|--------------------------------|---|
| service life of bearing system | A30 |
| shaft and housing design | A133 |
| shaft locknut | A136 |
| shrink fit | A142, A144 |
| slight preload | A57, A114 , A115 |
| smearing | A154, A155 |
| snug fit | A86 |
| sodium grease | A124 |
| sodium soap | A124 |
| spacer code | A57 |
| spray lubrication | A121 |
| standard cage | B7, B58, B125, B140, B186, B293, B337, B355 |
| stand-out | A5 , A9, A56, A112 |
| static equivalent load | A14, A42 , A43 |
| static load rating | A14, A24, A42 , A43, A88 |
| stationary inner ring load | A87 , A90, A98 |
| stationary outer ring load | A87 , A90, A98 |
| storage | A141 |
| structure | A1 |
| supplementary code | A5, A9, A10, A54, A57 |
| synthetic oil | A124 , A125, A128 |
| tapered bore | A6, A7, A10, A17, A52, A54, A56, A58, A61, A63, A76 , A80, A91, A105, A107, A136, A142, A145, A146, A149 |
| test run | A146 |
| thickener | A124 , A125, A126 |
| tolerance | A58 , A59, B7, B57, B125, B140, B186, B293, B337, B355, B368 |
| tolerance class | A15, A54, A57, A58, A59 , A93, A94, A95, A96, A97 |
| transition fit | A86 , A90 |
| urea compounds | A124 , A125 |
| viscosity grade | A129 |
| viscosity ratio | A27, A29 |
| wear | A24, A156, A157 |
| width series | A17, A52, A53, A55 |
| withdrawal sleeve | A10, A91, A136 , A145 |
| Z | A4, A5, A54, A56 |

JTEKT Bearing WEB site

<https://koyo.jtekt.co.jp/en/>



JTEKT Oversea hubs

<https://www.jtekt.co.jp/e/company/global.html>



JTEKT Ball & Roller Bearings



CAT. NO. BS004EN-1DS
Printed in Japan '22.04 ('06.1)

JTEKT CORPORATION